SAFFIER SE28 LEOPARD

The most versatile daysailer











With a tiller



With two steeringwheels
















Diesel engine



Electric engine







Mast base

Specially developed for the SE 28.

RBB 50 block

A roller-bearing block designed specifically for Saffier. Compact in size, yet exceptionally strong.




() SELDÉN



E40REV winch


This winch is equipped with a brushless engine and offers two speeds, both forward and reverse. Operation is kept simple with just two buttons.



Furlex 104TD

Developed in response to your request for a more compact thrudeck Furlex system.





MAINDATA Loa Lwl B Draft 1.15/1	8.40 7.68 2.70 1.45/1.75	m m
Displacement Ballast Crew Weight	2200 750 150	kg
IG ISP IM J Jspi	10.25 11.35 11.35 3.00 4.25	т т т
P E	10.25 3.70	m m
BAS HBI to cwl HBJ to cwl	1.089 0.905 0.932	m
RMc30	10.20	kNm

SAIL DATA - Mainsail MGL MGM MGU MGT HB - Foretriangle 100% - High aspect Jib LP Luff Leech	25.70 m2 3.23 m 2.62 m 1.84 m 1.34 m 0.80 m 15.10 m2 13.80 m2 2.62 m 10.45 m 9.70 m
Asymmetrical spinnaker code 3 (AWA 80-160) SLU SLE SF SMG code 0 (AWA 40-120) SLU SLE SF SMG	69.00 m2 12.90 m 10.95 m 6.71 m 7.05 m 46.00 m2 11.75 m 10.55 m 6.90 m 4.50 m

Starting price: € 114.500 excl. VAT

